

3-5 November 2021, Online, eISBN 978-3-0923-27-3

Wettability of highly conductive ZnO:Ga:Cl CVT ceramics with various ga content

G. V. COLIBABA, N. COSTRIUCOVA, D. RUSNA, S. BUSUIOC, E. V. MONAICO

https://doi.org/10.1007/978-3-030-92328-0_78

Abstract

ZnO:Ga:Cl ceramics were sintered using chemical vapor transport technique. Ga content was varied in a range of 0–10 mol %. The wettability of unpolished and polished surface of ZnO:Ga:Cl ceramics was investigated. The polished and etched surface of ZnO ceramics is in a hydrophilic state. The presence of Ga impurity leads to a strong increase in the water contact angle to 131°. This behavior is attributed to a high concentration of free electrons, which suppress the formation of intrinsic surface defects acting as traps for water molecules. Air pockets on unpolished surfaces of ZnO:Ga:Cl ceramics are an additional factor that increases the water contact angle.

Keywords: electrical conductivity, hydrophobicity, wetting

References:

1. Racca, L., Canta, M., Dumontel, B., et al.: Zinc oxide nanostructures in biomedicine. *Smart Nanopart. Biomed. Micro Nano Technol.* **12**, 171–187 (2018)
[Article Google Scholar](#)
2. Marco, C., Barui, S., Cauda, V., Laurenti, M.: Doped zinc oxide nanoparticles: synthesis, characterization and potential use in nanomedicine. *Appl. Sci.* **10**(15), 5194 (2020)
[Article Google Scholar](#)
3. Ghaffaria, M., Moztarzadeha, F., Safavib, M.: A comparative study on the shape-dependent biological activity of nanostructured zinc oxide. *Ceram. Int.* **45**(1), 1179–1188 (2019)
[Article Google Scholar](#)
4. Milionis, A., et al.: Water-based scalable methods for self-cleaning antibacterial ZnO-nanostructured surfaces. *Ind. Eng. Chem. Res.* **59**(32), 14323–14333 (2020)
[Article Google Scholar](#)
5. Pesika, N.S., Hu, Z., Stebe, K.J., Searson, P.C.: Quenching of growth of ZnO

2022 International Conference on Nanotechnologies and Biomedical Engineering (ICNBME)

- 3-5 November 2021, Online, eISBN 978-30-30923-27-3**
nanoparticles by adsorption of octanethiol. J. Phys. Chem. B **106**(28), 6985–6990 (2002) [Article](#) [Google Scholar](#)
6. Yadav, K., Mehta, B.R., Bhattacharya, S., Singh, J.P.: *A fast and effective approach for reversible wetting-dewetting transitions on ZnO nanowires. Sci. Rep.* **6**, 35073 (2016) [Article](#) [Google Scholar](#)
 7. Velayi, E., Norouzbeigi, R.: *Synthesis of hierarchical super-hydrophobic zinc oxide nano-structures for oil/water separation. Ceram. Int.* **44**(12), 14202–14208 (2018) [Article](#) [Google Scholar](#)
 8. Mardosaite, R., Jurkeviciute, A., Rackauskas, S.: *Superhydrophobic ZnO nanowires: wettability mechanisms and functional applications. Cryst. Growth Des* **21**, 4765–4779 (2021) [Article](#) [Google Scholar](#)
 9. Chen, C., He, H., Lu, Y., Wu, K., Ye, Z.: *Surface passivation effect on the photoluminescence of ZnO nanorods. ACS Appl. Mater. Interfaces* **5**(13), 6354–6359 (2013) [Article](#) [Google Scholar](#)
 10. Chao, C.H., Chi, P.W., Wei, D.H.: *Investigations on the crystallographic orientation induced surface morphology evolution of ZnO thin films and their wettability and conductivity. J. Phys. Chem. C* **120**(15), 8210–8219 (2016) [Article](#) [Google Scholar](#)
 11. Li, Q., et al.: *Room-temperature nonequilibrium growth of controllable ZnO nanorod arrays. Nanoscale Res. Lett.* **6**, 477 (2011) [Article](#) [Google Scholar](#)
 12. Colibaba, G.V.: *Halide-carbon vapor transport of ZnO and its application perspectives for doping with multivalent metals. J. Solid State Chem.* **266**, 166 (2018) [Article](#) [Google Scholar](#)
 13. Colibaba, G.V.: *Sintering highly conductive ZnO:HCl ceramics by means of chemical vapor transport reactions. Ceram. Int.* **45**, 15843 (2019) [Article](#) [Google Scholar](#)
 14. Colibaba, G.V., et al.: *Low-temperature sintering of highly conductive ZnO:Ga:Cl ceramics by means of chemical vapor transport. J. Eur. Ceram. Soc.* **41**, 443–450 (2021) [Article](#) [Google Scholar](#)
 15. Colibaba, G.V., Rusnac, D., Fedorov, V., et al.: *Effect of chlorine on the conductivity of ZnO: Ga thin films. J. Mater. Sci.: Mater. Electron.* **32**, 18291–18303 (2021) [Google Scholar](#)
 16. Huang, H.S., et al.: *Highly conductive alumina-added ZnO ceramic target prepared by reduction sintering and its effects on the properties of deposited thin films by direct current magnetron sputtering. Thin Solid Films* **518**, 6071 (2010) [Article](#) [Google Scholar](#)
 17. Jagadish, C., Pearton, S.: *Zinc Oxide Bulk, Thin Films and Nanostructures: Processing, Properties, and Applications. Elsevier Science, Amsterdam* (2006) [Google Scholar](#)
 18. Colibaba, G.V., et al.: *Effects of impurity band in heavily doped ZnO:HCl. Phys. B:*

2022 International Conference on Nanotechnologies and Biomedical Engineering (ICNBME)

3-5 November 2021, Online, eISBN 978-30-30923-27-3

Condens. Matter **553**, 174 (2019) [Article](#) [Google Scholar](#)

19. Özgür, Ü., Alivov, Y.I., Liu, C., et al.: A comprehensive review of ZnO materials and devices. *J. Appl. Phys.* **98**, 041301 (2005) [Article](#) [Google Scholar](#)

20. Daniels, F., Alberty, R.A.: *Physical Chemistry*. Wiley, New York (1961) [Google Scholar](#)

21. Aven, M., Prener, J.S.: *Physics and Chemistry of II-VI Compounds*. North-Holland, Amsterdam (1967) [Google Scholar](#)